



TECHNICAL SHEET SPECIFICATIONS AFTERCARE



ERECT

ERECT CONCRETE WASHBASIN



ABOUT THE PRODUCT

Erect is a freestanding washbasin with soft curves and a rectangular form that exudes subtle elegance and warmth. Its surface stands out through a delicate decorative pattern revealed within the concrete texture, creating a refined, embossed effect. In earthy, warm tones, Erect blends the natural character of the material with the finesse of design, making it an ideal choice for spaces that seek a balance between simplicity and sophistication. Designed by Urbi et Orbi studio

ERECT CONCRETE WASHBASIN

COLORS

BASIC



OPTIONAL



COOL & WARM






Colored in its mass with pigments

Every piece may exhibit color variations on its surface, as well as among other pieces of the same product or sample products.

The concrete surface exhibits surface voids that are caused by the air. This is a natural property of concrete. This is only visible on the external side of the washbasin.

SPECIFICATIONS







Size: 61x34 cm

Height: 85 cm

Depth: 14 cm

ERECT CONCRETE WASHBASIN

PROPERTIES

This product is made of cast concrete.

Our company specializes in the production of products made of concrete. The raw material that we use is a unique reinforced mixture of cement, enhancing admixtures and special aggregates.

Concrete is known from its use in the construction of buildings to be a durable, enduring, long-lasting material. However, untreated concrete does not suffice for the construction of a functional washbasin. Concrete is porous, which means it is absorbent and easy to stain. Therefore, for it to be waterproof and protected against unwanted stains, its surface needs to be treated and sealed.

To achieve optimal results, we apply a protective coating consisting of four waterproofing stages, by applying special stain varnishes, while at the same time being cautious not to alter the natural appearance and texture of concrete.

USAGE.

This product is intended for private or public bathrooms, WC, for indoor usage only.

These concrete washbasins have no overflow; the drainage valve should always be open.

LOAD RESISTANCE:

Durable in accordance with the Norm EN 14688. Although concrete is a very hard material, it can break like marble, stone or ceramic. For this reason, avoid dropping heavy objects or any other kind of impact directly on the concrete surface.

RESISTANCE TO ABRASION:

The concrete sealer coating is durable enough for daily use, in accordance with the EN 14688.

However, avoid rubbing the surface with sharp objects like wire, metal objects or tools and hard sponges. The frequent use of those objects can wear out the sealer.

RECOMMENDATIONS:

Always follow the installation guide.

For the maintenance of the concrete sealer, we recommend the use of a wax product, such as FILA wax opaca.

Improper use may damage the washbasin and any repairs will be visible.

For further technical information or advice of usage, contact our technical department.

USAGE.

This product is intended for private or public bathrooms, WC, for indoor usage only.

These concrete washbasins have no overflow; the drainage valve should always be open.

LOAD RESISTANCE:

Durable in accordance with the Norm EN 14688. Although concrete is a very hard material, it can break like marble, stone or ceramic. For this reason, avoid dropping heavy objects or any other kind of impact directly

on the concrete surface.

RESISTANCE TO ABRASION:

The concrete sealer coating is durable enough for daily use, in accordance with the EN 14688.

However, avoid rubbing the surface with sharp objects

like wire, metal objects or tools and hard sponges. The frequent use of those objects can wear out the sealer.



All rights reserved."Urbi et Orbi" brand and logos are registered trademarks. The industrial models of the product, the designation and the product photos are protected by the applicable copyright laws.

Urbi et Orbi reserves the right, in order to improve the capacities of the products, to make modifications to them, as if reference the raw materials, dimensions, weight, qualities or features, without prior notice.